


Edge

Designed by
Ghidini & Lucitalia



**GHIDINI &
LUCITALIA**
LIGHT IDEAS FOR BRIGHT IDEAS



**GHIDINI &
LUCITALIA**
LIGHT IDEAS FOR BRIGHT IDEAS

Vibrant colours.



CRI >90. The perfection of natural light.

A LED with impeccable colour fidelity, CRI >90. Colours are more vivid, details sharper, the atmosphere cosier.

 **EDGE**

Visual comfort and
unique style.

UGR <16.



**Light up your tomorrow,
without compromising your today.**

Because your eyesight
and your well-being,
deserve perfection.



indoor

Quality for your interior,
quality for your relaxation,
quality for your life.

UGR<16

Edge


IP20

Edge R frame IP20

Ceiling recessed - IP20



50mm



100mm







150mm



285mm



415mm



drywall installation





Edge R Trimless IP20

Ceiling recessed - IP20



35mm




85mm







135mm



270mm



400mm




drywall installation





Edge S

Suspension - IP20



two versions: mono or bi-emission





Edge C dark

Ceiling - IP20



100mm



150mm




300mm



1200-2400mm



1500-3000mm



surface application





Edge Track

Projectors and tracks - IP20



105mm




160mm



300mm



 359°



three-phase or 48V binary





outdoor

Quality for your spaces,
quality for your projects,
quality for your life.

UGR<16

Edge

IP67

Edge R

Ceiling recessed - IP67



50mm



100mm




150mm



180mm



300mm



for concrete or drywall





Edge SQ Dark




Ceiling Recessed / Downlight - IP67



120mm




190mm





with frame or without, for drywall





Edge SQ Dark C

Ceiling - IP67



surface application





Edge C


Ceiling - IP66



100mm



150mm




300mm



1200mm



1500mm




surface application





Edge AS

Wall recessed - IP67






100mm



150mm



180mm



concrete or drywall application





Edge AS V


Wall recessed - IP67






50mm



100mm




150mm







light blade, concrete or drywall application





Edge W

Wall Effects / Walkways - IP66





emphasises the walls





Edge spot

Projectors - IP67





flexibility in pointing






Edge SQ inox

Walkable Ground Recessed / Up-light - IP65





walking on the light





Edge SQ glass

Walkable Ground Recessed / Up-light - IP65



perfectly integrated into the ground





Edge SP

Pole Head / Urban Elements - IP66





100mm



150mm



300mm



illuminate from above





We use energy from renewable sources



Lighting the future with clean energy.

We believe that the future is bright, and for us that means a tomorrow sustained by clean energy.

The values that inspire us:

- **Passion for innovation:** We believe in researching and developing new technologies to improve our products and reduce our environmental impact.
- **Commitment to quality:** we offer the highest quality products that last, reducing the need for replacements and waste of resources.
- **Social responsibility:** we are committed to doing our part for a better future for all, protecting the planet and the people who inhabit it.

Visit us on
www.ghidini.it

Contact us or book
an appointment
+39 0308925625

Ghidini Lighting s.r.l.
Via Monsuello 211, 25065
Lumezzane (Brescia) Italy



**GHIDINI &
LUCITALIA**
LIGHT IDEAS FOR BRIGHT IDEAS