

9 STRISCE LUMINOSE

Le nostre strisce luminose rappresentano una soluzione illuminotecnica adatta sia per applicazioni esterne che interne. La struttura flessibile ne consente l'installazione su superfici lineari o curve. Disponibili in varianti RGBW, a luce diffusa o con ottiche, offrono un'illuminazione estremamente personalizzabile. La vasta gamma di accessori permette l'integrazione di questo prodotto in ogni contesto progettuale.

*Our **Neon Strips** are a suitable lighting solution for both outdoor and indoor applications. Flexible structure allows installation on linear or curved surfaces. Available in RGBW, diffused or optical versions, they offer highly customisable lighting. The wide range of accessories allows the integration of this product in any design context.*





NEON STRIP LENS

Strisce luminose flessibili con lenti
Flexible neon strip with lens

DESCRIZIONE DESCRIZIONE

Adatte a spazi interni ed esterni, queste strisce luminose coniugano funzionalità e design, conferendo agli ambienti una luminosità avvolgente. La struttura in gomma offre una flessibilità senza pari, permettendo alle Neon Strip di adattarsi con grazia ad ogni spazio senza comprometterne l'estetica. L'elegante minimalismo di questo prodotto ne garantisce un'armoniosa integrazione nei più disparati contesti architettonici: sia che si tratti di accentuare linee architettoniche, creare giochi di luce o delineare con precisione aree specifiche. La vasta gamma di accessori disponibile ne permette diverse installazioni e offre un'esperienza di illuminazione su misura per ogni esigenza.

Suitable for indoor and outdoor spaces, these light strips combine functionality and design, giving the rooms an enveloping brightness. The rubber structure offers unparalleled flexibility, allowing the Neon Strip to gracefully adapt to any space without compromising aesthetics. The elegant minimalism of this product guarantees a harmonious integration in the most disparate architectural contexts: whether it is to accentuate architectural lines, create plays of light or precisely delineate specific areas. The wide range of accessories available allows different installations and offers a lighting experience tailored to every need.

INSTALLAZIONE INSTALLATION

Installazione a parete, soffitto o fissaggio a terra

Wall, ceiling or ground fixing installation

CORPO BODY

Estrusione di silicone

Silicone extrusion

SCHERMO SCREEN

Silicone

Silicone








**VERSIONE IN
TENSIONE**
CONSTANT
VOLTAGE

18W/m CON DRIVER REMOTO 24Vdc
18W/m REMOTE DRIVER 24Vdc



IP 67

IK 07



STRISCIA LUMINOSA CON LENTI

NEON STRIP WITH LENS



CODICE CODE	FASCIO BEAM	WATT	CCT CCT	APPARECCHIO FIXTURE	ALIMENTAZIONE POWER SUPPLY	CL	IP	IK	CRI
AG115N30K500015	 STRETTO/15° NARROW/15°	18W/m	3000K	1600 lm/m	24Vdc	III	67	07	>80
AG115N30K500030	 MEDIO/30° MEDIUM/30°	18W/m	3000K	1600 lm/m	24Vdc	III	67	07	>80

SILICONE - SILICONE

DIMMERABILE - DIMMABLE

ACCESSORI

ACCESSORIES

KIT.NS115.003	END CAP CLOSE END CAP CLOSE	KIT.030	COLLA PER NEON STRIP GLUE FOR NEON STRIP
KIT.NS115.004	CLIP IN PLASTICA PLASTIC CLIP	KIT.035	KIT CASAMBI IP68 24V WHITE ICH KIT CASAMBI IP68 24V WHITE ICH
KIT.NS115.005	STAFFA BRACKET	E.TRA.579 MAX 5 M	ALIMENTATORE ON/OFF 100W 24VDC IP67 DRIVER ON/OFF 100W 24VDC IP67
KIT.NS115.009	PROFILO IN ALLUMINIO ALUMINIUM PROFILE	E.TRA.592 MAX 10 M	ALIMENTATORE ON/OFF ELG 240W 24VDC IP67 DRIVER ON/OFF ELG 240W 24VDC IP67
KIT.NS115.007	PROFILO PIEGHEVOLE FOLDING PROFILE	E.TRA.609 MAX 10 M	ALIMENTATORE 240W 24V DALI DRIVER 240W 24V DALI
KIT.NS115.008	STAFFA ROTABILE ROLLING BRACKET		



NEON STRIP DIFFUSE

Strisce luminose flessibili a luce diffusa
Flexible neon strip diffuse emission

DESCRIZIONE DESCRIZIONE

Adatte a spazi interni ed esterni, queste strisce luminose coniugano funzionalità e design, conferendo agli ambienti una luminosità avvolgente. La struttura in gomma offre una flessibilità senza pari, permettendo alle Neon Strip di adattarsi con grazia ad ogni spazio senza comprometterne l'estetica. L'elegante minimalismo di questo prodotto ne garantisce un'armoniosa integrazione nei più disparati contesti architettonici: sia che si tratti di accentuare linee architettoniche, creare giochi di luce o delineare con precisione aree specifiche. La vasta gamma di accessori disponibile ne permette diverse installazioni e offre un'esperienza di illuminazione su misura per ogni esigenza. Disponibile anche la versione RGBW.

Suitable for indoor and outdoor spaces, these light strips combine functionality and design, giving the rooms an enveloping brightness. The rubber structure offers unparalleled flexibility, allowing the Neon Strip to gracefully adapt to any space without compromising aesthetics. The elegant minimalism of this product guarantees a harmonious integration in the most disparate architectural contexts: whether it is to accentuate architectural lines, create plays of light or precisely delineate specific areas. The wide range of accessories available allows different installations and offers a lighting experience tailored to every need. RGBW version also available.

INSTALLAZIONE INSTALLATION

Installazione a parete, soffitto o fissaggio a terra

Wall, ceiling or ground fixing installation

CORPO BODY

Estrusione di silicone

Silicone extrusion

SCHERMO SCREEN

Silicone

Silicone








**VERSIONE IN
TENSIONE**
CONSTANT
VOLTAGE

11W/m CON DRIVER REMOTO 24Vdc
11W/m REMOTE DRIVER 24Vdc



IP 67

IK 07



NEON STRIP DIFFUSE

STRISCIA LUMINOSA A LUCE DIFFUSA

NEON STRIP DIFFUSE EMISSION



CODICE CODE	FASCIO BEAM	WATT	CCT CCT	APPARECCHIO FIXTURE	ALIMENTAZIONE POWER SUPPLY	CL	IP	IK	CRI
AG20527K5000	 DIFFUSO DIFFUSED	14W/m	2700K	550 lm/m	24Vdc	III	67	07	>80
AG20530K5000	 DIFFUSO DIFFUSED	14W/m	3000K	550 lm/m	24Vdc	III	67	07	>80
AG20540K5000	 DIFFUSO DIFFUSED	14W/m	4000K	550 lm/m	24Vdc	III	67	07	>80

SILICONE - SILICONE

DIMMERABILE - DIMMABLE

ACCESSORI

ACCESSORIES

KIT.NS205.004	END CAP CLOSE END CAP CLOSE	KIT.030	COLLA PER NEON STRIP GLUE FOR NEON STRIP
KIT.NS205.005	CLIP IN PLASTICA PLASTIC CLIP	KIT.035	KIT CASAMBI IP68 24V WHITE 1CH KIT CASAMBI IP68 24V WHITE 1CH
KIT.NS205.006	STAFFA BRACKET	E.TRA.579 MAX 5 M	ALIMENTATORE ON/OFF 100W 24VDC IP67 DRIVER ON/OFF 100W 24VDC IP67
KIT.NS205.009	PROFILO IN ALLUMINIO ALUMINIUM PROFILE	E.TRA.592 MAX 10 M	ALIMENTATORE ON/OFF ELG 240W 24VDC IP67 DRIVER ON/OFF ELG 240W 24VDC IP67
KIT.NS205.008	PROFILO PIEGHEVOLE FOLDING PROFILE	E.TRA.609 MAX 10 M	ALIMENTATORE 240W 24V DALI DRIVER 240W 24V DALI